### DOCKET FILE COPY ORIGINAL

#### LUKAS, NACE, GUTIERREZ & SACHS

CHARTERED 1111 NINETEENTH STREET, N.W. **SUITE 1200** WASHINGTON, D.C. 20036

RUSSELL D. LUKAS DAVID L. NACE THOMAS GUTIERREZ ELIZABETH R SACHS GEORGE L. LYON, JR. JOEL R. KASWELL PAMELA L. GIST DAVID A. LAFURIA MARILYN SUCHECKI MENSE PAMELA GAARY HOLRAN B. LYNN F. RATNAVALE TODD SLAMOWITZ DAVID M. BRIGLIA ALLISON M. JONES

+ NOT ADMITTED IN D.C.

(202) 857-3500

January 10, 2001

CONSULTING ENGINEERS ALI KUZEHKANANI LEROY A. ADAM LEILA REZANAVAZ TY COLONEY

> OF COUNSEL JOHN J. MCAYOY J.K. HAGE III+

Email: Ings@fcclaw.com http://www.fcclaw.com

WRITER'S DIRECT DIAL

WRITER'S DIRECT FAX

tslamowitz@fcclaw.com

RECEIVED

**JAN 1** 0 2001

FEDERAL COMMUNICATIONS COMMISS

Magalie Roman Salas, Secretary Federal Communications Commission 445 12th Street., SW, Room TW-B204F Washington, DC 20554

OFFICE OF THE SOCRETARY

Re:

E911 Phase II Carrier Implementation Report

CM-PCS, LLC

Dear Ms. Salas:

On behalf of CM-PCS, LLC ("CM-PCS"), I am responding to the Federal Communication Commission ("FCC") letter dated December 27, 2000 requesting that CM-PCS submit an E911 Phase II Carrier Implementation Report. CM-PCS is the licensee of PCS stations KNLG683, KNLG684 and KNLG685. According to Section 20.18(a) of the Commission's rules, only those service providers that "offer real-time two way switched voice service that is interconnected with the public switched network and utilize an in-network switching facility which enables the provider to reuse frequencies and accomplish seamless hand-off of subscriber calls" must file an E911 Phase II Carrier Implementation Report. 47 C.F.R. § 20.18(a). Since CM-PCS does not presently offer two-way switched voice service, it is not necessary at this time for them to file an E911 Phase II Carrier Implementation Report. Nonetheless, CM-PCS will submit an E911 Phase II Carrier Implementation Report once it initiates build-out of its PCS system.

In the event that you have any questions with respect to this matter, please contact the undersigned directly.

Respectfully submitted,


Todd Slamowitz

Wendy Austrie, Esq. cc: Janet Sievert, Esq.

01/28/1995 16:10 2155798854 Sent by: AMIDE PHARMACEUTICAL, INC.

973 890 7980;

01/09/01 9:20AM; Jeffex #200; Page 1/5



Federal Communications Commission Washington, D.C. 20554

December 27, 2000

FIN 202-828-8410

KNLF901
THE RICHARD L WESA GROUP
1245 W FAIRBANNE AVE STE 350
WINTER PARK, FU 32789

Cm-Bc >

At his not make and at.

SE Report

OF MILL SOME

Re: Nevember 9, 2000 E911 Phase II Carrier Implementation Report

By the Wireless Telescomunications Bureau:

- 1. Pursuant to section 20.3(h) of the Federal Communications Commission's (Commission) rules, wireless carriers were inquired to submit reports on or before November 9, 2000 to the Commission on their plans for implementation of wireless Enhanced 911 (E911) Phase II automatic location identification (ALI) systems. As of the date of this notice, CM PCS LLC has failed to submit the required report.
- 2. In accordance with Section 308(b) of the Communications Act of 1934 as amended, 47 U.S.C. § 308(b), CM PCS LLC shall within fifteen (15) days of the date of this letter submit a report on its wireless E911 Phase if ALI implementation.
- The report shall contain information on CM PCS LLC's implementation plans, as outlined in the Public Notice, released September 14, 2000, Wireless Telecommunications Bureau Provides Guidance on Carrier Reports on Implementation of Wireless E911 Phase II Automatic Location Identification.
- Failure to file a regist concerning CM PCS LLC's implementation plan for wireless B911 Phase II ALI systems constituting a violetien of the Commission's Rules. Failure to comply with this notice constitutes a continuing violation of the Commission's Rules and will be referred to the Commission's Enforcement Bureau and could result in administrative penalties, including monetary forfoiture. See Forfeiture Policy Statement, 12 FCC Red 17087 (1997).
- Your report can be filed either electronically or as a paper filing. Electronic filings should be made using the Electronic Cashinent Fling System (ECFS). Reports filed through the ECFS can be sent as an electronic file via the laternet to <a href="http://www.fcc.gov/e-file/eng.html">http://www.fcc.gov/e-file/eng.html</a>. In completing the transmittal screen, parties should make their full name, Postal Service mailing address, and the docket number of this proceeding. Parties filing electronically should also e-mail a copy of their report to

Revision of the Commission's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Docket No. 94-102, Third Report and Order, 14 FCC Red 17388 (1999)(E011 Third Report and Order)

See Public Notice Wireless Telecommunications Bureau Provides Guidence on Carrier Reports on Implementation of Wireless 2011 Plane II Automatic Location Identification, DA 00-2099, CC Docket No. 94-102

01/09/01 9:20AM; Jetfax #200; Page 2/5

## PRIVILEGED AND CONFIDENTIAL

WAustrie@fcc.gov. Parties who choose to file by paper must file an original and four copies of each filing with the Commission's Becretary, Magalie Roman Salas, Office of the Secretary, Federal Communications Commission, 445 12th Street, SW, Washington, D.C. 20554 and a diskette copy to the Commission's capy contractor, International Transcription Service, Inc. (ITS), CY-B400, (202) 857-3800. In addition, parties must submit one copy to Wendy Austrie, Policy Division, Wireless Telecommunications Sureau, Federal Communications Commission, 445 12th Street, S.W., Washington, D.C. 20554. Reports will be available for public inspection during regular business hours in the FCC Public Reference Room, Room CY-A257, 445 12th Street, S.W., Washington, D.C. 20554.

6. Should you have any questions regarding this matter, please contact Ms. Wendy Austrie at 202-

Federal Communications Commission

Florius J. Sugrue, Chief

Wireless Telecommunications Bureau

01/09/01 9:21AM; JetFex\_#200; Page 3/5

# PUBLIC NOTICE

Federal Com **Commission** 445 120 E. S. Washington, 6/2, 20660

6 Media Information 202 / 416-0500 Fax-On-Demend 202/418-2630 TTY 202/418-2555 Internet: http://www.fcc.gov

ftp fcc.gov

DA 00-2099 Released: September 14, 2000

#### WIRELESS FELECOMMUNICATIONS BUREAU PROVIDES GUIDANCE ON CARRIES REPORTS ON IMPLEMENTATION OF WIRELESS E911 PHASE II AUTOMATIC LOCATION IDENTIFICATION

#### CC Docket No. 94-102

In this Public Notice, the Wireless Telecommunications Bureau (Bureau) provides guidance to wireless carriers on the information they must submit in their reports to the Federal Communications Commission (Commission) on their plans for implementation of wireless Enhanced 911 (E911) Phase II automatic location identification (ALI) systems. Carrier reports must be filed with the Commission on or before November 9, 2000. The reports are intended to encourage advance planning to meet the deadlines established in the Commission's E911 rules, facilitate coordination between wireless carriers and parties -- such as public safety organizations, equipment manufacturers, and local exchange carriers - involved in the implementation of Phase II, and assist the Commission in monitoring the Phase II implementation schedule.

The Commission's 1911 rules allow carriers to choose a handset-based or network-based approach to complying with those rules. If a handset-based approach is selected, the carrier must begin selling and activating ALI-capable handsets by October 1, 2001. Thereafter, by December 31, 2001, 25 percent of the carrier's new handset activations must be ALI-capable; 50 percent must be ALI-capebile by June 30, 2002, and by December 31, 2002, 100 percent of that carrier's new digital handset activations must be ALI-capable. For a carrier deploying a network-based Al. I solution, the carrier must provide Phase II service to 50 percent of callers within six months of a PSAP request and to 100 percent of callers within 18 months of the PSAP request

To ensure thatby planning and communication among the parties involved in Phase II and thus the successed deployment of ALI capabilities - carrier reports should include the following information, in narrative form. Each aspect of the information outlined below should be

h's Builte to Ensure Compatibility with Enhanced \$11 Emergency Calling Systems, CC Docket No. 94-102, Phird Report and Order, 14 FCC Red 17388 (1999)(E91) Third report and Order)

01/09/01 9:21AM; JetFax #200; Page 4/5

#### Background Cast and Traction

- Carrier lambiage and TRS number. Carriers may (1)obtain their TRS number from the FCC's Carrier Locator, January, 2000 edition, by downloading the appropriate files (LOCAT-99.ZIP and LOCAT-99.PDF) from the FCC-State Link mineral little at http://www.fcc.gov/cch/stats. Carriers may purchase a hard copy by calling the International Transcription Service, Inc., at (202) 857-3800
- The name, title, address, telephone number, facsimile number, and **(2)** e-mail address of the person or persons responsible for the carrier report.

## E911 Phase II Leaves Product Information

- Type of Resimilary. Identification of the Phase II location technology(ies) that the carrier plans to diploy across its service territory, e.g., network-only, handset-only, hybrid or a combination divised. Please also include a complete description of the technology that there chosen and the name of the corresponding vendor or vendors. (1)Indicate what technology will be used in each individual area of the carrier's service territory.
- Testing and Francisco. A description of the testing method used, or to be used, to **(2)** determine the security of the ALI solution(s) selected, and a description of the results of tests already educated. Note: The Commission provided guidelines for determining accuracy of AEE solutions in OET Bulletin No. 71, issued April 12, 2000. Copies of this bulletin cast in devaluaded from the Commission's Web site, at http://www.
- Implementation of the Acceptation of the hardware and software needed to implement its chosen (3) technology (similar tassed, network-based or hybrid systems). For example, indicate whether both and software changes will be necessary and fully describe the precise nature of the changes. In addition, please provide the roll-out schedule for the installation of the ALI technology(ies).
- PSAP Intesting: A discription of hardware and software changes necessary to transmit (4) Phase II date as Page and the carrier's strategy and schedule for the installation and/or modification of such acroware or software changes.
- Existing Hamilton: A description of the carrier's strategy and schedule for the upgrade (5) and/or replacement of endsting customer handsets, if applicable.
- Location of New Communible Handsets. A description of the best efforts that carriers employing a lattice based or hybrid system will take to accommodate handsets that are incompatible afforting carrier's ALI system, e.g., handsets that do not have ALI capability, (6) or handsets that are Ad I- capable, but are not compatible with the carrier's particular

01/09/01 9:22AM; Jakes #200; Page 5/5

handsex-based or listerid system.2

Other Inflation Please provide any other information, including a description and **(7)** history of any Place II requests received from PSAPs, that will assist the Commission and affected persons in apparatoring and coordinating the deployment of E911 Phase II in accordance with the himetables set forth in the Commission scrules.

As stated with Est Third Report and Order, we believe the requirement to provide an advance report should not supose substantial new burdens on carriers. Thus, we permit the electronic filing of the reports, which will be placed on the Commission's E911 Web site for ease of accessibility. We also parenit joint filings, to the extent possible. Carriers participating in the submission of joint reports (e.g., carriers using a specific air interface or ALI technology) should highlight common stranged documentation for all carriers in the group while distinguishing individual implementation plans by carrier.

Electronic states whiled be made using the Electronic Comment Filing System (ECFS).

Reports filed through the ECFS can be sent as an electronic file via the Internet to http://www.fre professional familiants and the docket number of this proceeding Parties who filing electronically model and e-mail a copy of their report to jwhaley@foc.gov. Parties who choose to file by prime that the an original and four copies of each filing with the Commission's Secretary, Magalie 10 Sales, Office of the Secretary, Federal Communications Commission, 445 12th Street, SW. Wettington, D.C. 20554 and a diskette copy to the Commission's copy contractor, International Transcription Service, Inc. (ITS), CY-B460, (202) 857-3800. In addition, parties made admit one copy to Jay Whaley, Policy Division, Wireless Telecommunications Bureau, Federal Communications Commission, 445 12 Street, S.W., Washington, D.C. 30954. Reports will be available for public inspection during regular business hours in the PCC Public Reference Room, Room CY-A257, 445 12th Street, S.W., Washington,

Carriers should some that this report does not constitute a final or irrevocable commitment to the ALI technology that they will employ. As we mentioned in the E911 Third Report and Order, carriers may make good faith changes in their implementation plans after their initial report is filed, including changes in ALI technologies. These changes are to be filed within thirty days of the adoption of any such change.' Updates can be filed in the same manner as described above.

For further inflameter concerning this proceeding, contact Jay Whaley, Policy Division, Wireless Telecommunications Bureau at (202) 418-1310.

- FCC -

E911 Third Report and Color at \$4 fled 17414,15 (paras. 55,59).

Sec, e.g., Revision of the Coloradian's Rules to Ensure Compatibility with Enhanced 911 Emergency Calling Systems, CC Distinct No. 18, 1882. Florth Memorandum Opinion and Order, PCC 90-326, (ref. September 8,2000) (Fourth Memorandum Opinion and 45.

E911 Third Report and Color at paras. 25, 30 and 45.

Sec, Fourth Memorandum Change and Order at para. 89).